

VIRAJ SynTex

Narrow Fabrics | Braids | Ropes




VIRAJ SYNTEX PVT. LTD.

Parachute Webbing **E- SWATCH CARD** **2026-27**

Explore webbing like

- PIA-W-4088
- PIA-T-5038
- PIA-T-5625
- PIA-W-27265-R
- PIA-T-2754
- PIA-W-5664
- PIA-C-5040

and many more.....



✉ info@virajsyntex.com

🌐 www.mil-pia-webbings-ribbons.com

🌐 www.virajsyntex.com



Finish Available

- ✓ Resin Treatment
- ✓ Fire Resistant
- ✓ Water Resistant
- ✓ Anti UV & Anti Static
- ✓ ROT Proofing
- ✓ Oil Resistant

Yarns Used

- ✓ Nylon 6 & 6,6
- ✓ Polyester Virgin & Recycled
- ✓ Para Aramid (Kevlar)
- ✓ UHMWPE (Dyneema)
- ✓ Cotton
- ✓ Polypropylene

CLASS-1

Critical Use
Shuttle
Loom

CLASS-1A

Critical Use
Needle
Loom

CLASS-2

Non-critical
Use Needle
Loom

OUR USP



Webbings Supply

Providing both Class 1 (Shuttle Loom) and Class 1a & 2 (Needle Loom) Webbings as per PIA/PIA Specn.



Production Capacity

Our Production Capacity: Shuttle Loom 2 PIA/lon meter/Annum, Needle Loom 5 PIA/lon meter/month



Trial Orders & MOQ

Provide quick trial small order service & flexible MOQ in assortment of webbing.



In-house Testing Lab

Equipped with In-house complete testing lab.



30 Years of Expertise

Producing Parachute & PIAitary Webbing for 30 Years



Vertical Integration

Complete Vertical Integrated Manufacturing process



MOQ Details

1000 Meter for natural yarn shades & 5000 Meter for any dyed shades



Free Samples

Free sample available. (1-3 Meters if available)



Production Time

Usually 3-4 weeks (depends on order quantity)



Special Rate for order quantity above 100,000 meters



Scan To
Watch Our
PIA/PIA
Video



info@virajsyntax.com



www.mil-pia-webbings-ribbons.com



www.virajsyntax.com



Scan To
Download
Our
Catalogues



WEBBINGS & TAPES

Mission-critical strength engineered to handle the unexpected, delivering confidence at any altitude.

Crafted for
Zero failure


 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088


Needle Loom
Class - 1A & 2



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1101	PIA-W-4088	1A & II/I	9/16"/14.29	500/227	Foliage Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1103	PIA-W-4088	1A & II/II	1"/25.04	600/272	Blue	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1106	PIA-W-4088	1A & II/VI	1 23/32"/43.66	2500/1135	Olive Drab	Dry Calendering	Nylon 6, 6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1108	PIA-W-4088	1A & 2/VIII	1 23/32"/43.66	4000/1816	Olive Drab	Dry Calendering	Nylon 6, 6


 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088


Needle Loom
Class - 1A & 2



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1114	PIA-W-4088	1A & 2/XII	1 23/32"/43.66	1200/545	Olive Drab	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1119	PIA-W-4088	1A & 2/XVII	1"/25.04	2500/1135	Natural	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1128	PIA-W-4088	1A & 2/XVI	1 23/32"/43.66	15000/6810	Olive Drab	Dry Calendering	Nylon 6, 6



Strength in
Every Strand


 **Special Rate for order quantity above 100,000 meters**

PIA-W-5038


Needle Loom
Class - 1A & 2




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing, Textile Reinforcing, Nylon	NWF-PIA-1259	PIA-T-5038	1A & 2/III	3/8"/9.53	200/91	Olive Green	Dry Calendering	Nylon 6, 6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing, Textile Reinforcing, Nylon	NWF-PIA-1261	PIA-T-5038	1A & 2/III	3/4"/19.05	400/182	Camouflage Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing, Textile Reinforcing, Nylon	NWF-PIA-1263	PIA-T-5038	1A & 2/III	1.5"/38.10	850/386	Olive Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing, Textile Reinforcing, Nylon	NWF-PIA-1266	PIA-W-5038	1A & 2/IV	1.0"/25.04	1000/454	Steel Grey	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing, Textile Reinforcing, Nylon	NWF-PIA-1268	PIA-T-5038	1A & 2/IV	1.5"/38.10	1500/681	Steel Grey	Dry Calendering	Nylon 6, 6


 **Special Rate for order quantity above 100,000 meters**

PIA-W-5625 & PIA-T-5666


Needle Loom
Class - 1A




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile, Nylon, Tubular	NWF-PIA-1132	PIA-W-5625	N/A / N/A	1/2"/12.70	1000/454	Brown	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile, Nylon, Tubular	NWF-PIA-1137	PIA-W-5625	N/A / N/A	1.0"/25.04	4000/1816	Olive Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile, Nylon, Multiple Tubular	NWF-PIA-1251	PIA-T-5666	N/A / N/A	1 5/16"/33.34	500/227	Olive Green	Dry Calendering	Nylon 6, 6



Durability you can
Depend On...


 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088 & PIA-W-27265


Needle Loom
Class - 1AR & 2



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1105(R)	PIA-W-4088 & PIA-W-27265	1A&2/IV	3.0 / 76.2	1800/817	Olive Drab	Resin Treated	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Woven Nylon	NWF-PIA-1107(R)	PIA-W-4088 & PIA-W-27265	1a / VII	1-23/32" / 43.66	6000/2724	Olive Drab	Resin Treated	Nylon 6,6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWF-PIA-1126(R)	PIA-W-4088 & PIA-W-27265	1A&2/XXIV	1-15/16 / 49.22	5500/2497	Red	Resin Treated	Nylon 6, 6

 **Special Rate for order quantity above 100,000 meters**

PIA-W-5665

Needle Loom
Class - 1A



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing,Textile, Cotton Warp	NWF-PIA-C-1102	PIA-W-5665	2/IA	1"/25.4	575/261	Natural	Dry Calendering	Cotton



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing,Textile, Cotton Warp	NWF-PIA-C-1103	PIA-W-5665	3/IA	1 1/4"/31.75	750/341	Olive Drab	Dry Calendering	Cotton



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Cotton Warp	NWF-PIA-C-1110	PIA-W-5665	2B / XVII	1.0"/25.04	900/409	Olive Drab	Dry Calendering	Cotton

PIA-W-5661

Needle Loom
Class - 1A



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing Textile, Woven Reinforcing Cotton	NWF-PIA-C-1159	PIA-W-5661	1 / N/A	1/4" / 6.35	80/36	Natural	Dry Calendering	Cotton



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile, Cotton Warp	NWF-PIA-C-1168	PIA-W-5661	1A / II	1-1/4"/31.75	275/125	Olive Drab	Dry Calendering	Cotton

 **Special Rate for order quantity above 100,000 meters**

PIA-W-5664

Needle Loom
Class - 1A



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	Elongation %	Shade	Finish	Material
Cotton Elastic Webbing	NWF-PIA-C-1184	PIA-W-5664	1/I	1"/25.04	50%	Olive Green	Dry Calendering	Cotton



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	Elongation	Shade	Finish	Material
Webbing, Textile Woven Cotton Elastic	NWF-PIA-C-1192	PIA-W-5664	4/I	1-1/2 / 38.1	50%	Sage Green	Dry Calendering	Cotton


Woven to
Protect...



 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088

Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWFS-PIA-9000	PIA-W-4088	1 & I	9/16" / 14.29	500/227	Green	Dry Calendering	Nylon 6,6

PIA-W-5625

Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Nylon, Tubular	NWFS-PIA-9086	PIA-W-5625	N/A / N/A	1/2" / 12.70	1000/454	Olive Drab	Dry Calendering	Nylon 6,6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Nylon, Tubular	NWFS-PIA-9087	PIA-W-5625	N/A / N/A	9/16" / 14.29	1500/681	Orange	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Nylon, Tubular	NWFS-PIA-9088	PIA-W-5625	N/A / N/A	5/8" / 15.88	2250/1022	Red	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Nylon, Tubular	NWFS-PIA-9089	PIA-W-5625	N/A / N/A	3/4" / 19.05	2300/1044	Black	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Nylon, Tubular	NWFS-PIA-9091	PIA-W-5625	N/A / N/A	1.0" / 25.04	4000/1816	Gold	Dry Calendering	Nylon 6,6

 **Special Rate for order quantity above 100,000 meters**

PIA-T-5038


Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9095	PIA-T-5038	1 / III	3/8" / 9.52	200/91	Silver	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9098	PIA-T-5038	1 / III	1.0" / 24.04	525/238	Navy Blue	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9099	PIA-T-5038	1 / III	1-1/2" / 38.10	850/386	Sage Green	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9100	PIA-T-5038	1 / IV	1/2" / 12.7	550/250	Olive Drab	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9105	PIA-T-5038	1 / V	9/16" / 14.29	500/227	Natural	Dry Calendering	Nylon 6,6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9104	PIA-T-5038	1 / IV	1-1/2" / 38.10	1500/681	Natural	Dry Calendering	Nylon 6,6


 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088 & PIA-W-27265


Shuttle Loom
Class - 1




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Woven Nylon	NWFS-PIA-9003(R)	PIA-W-4088 & PIA-W-27265	1 / II	1.0" / 25.04	600/272	Olive Drab	Resin Treated	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Woven Nylon	NWFS-PIA-9006(R)	PIA-W-4088 & PIA-W-27265	1 / VI	1-23/32" / 43.66	2500/1135	Sage Green	Resin Treated	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing Textile Woven Nylon	NWFS-PIA-9007(R)	PIA-W-4088 & PIA-W-27265	1 / VII	1-23/32" / 43.66	6000/2724	Silver	Resin Treated	Nylon 6,6




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWFS-PIA-9008(R)	PIA-W-4088 & PIA-W-27265	1/VIII	1-23/32" / 43.66	4000/1816	Sage Green	Resin Treated	Nylon 6, 6

 **Special Rate for order quantity above 100,000 meters**

PIA-W-4088 & PIA-W-27265

Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWFS-PIA-9014(R)	PIA-W-4088 & PIA-W-27265	1/XII	1-23/32 / 43.66	1200/545	Blue	Resin Treated	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWFS-PIA-9015(R)	PIA-W-4088 & PIA-W-27265	1/XIII	1-23/32 / 43.66	7000/3178	Olive Drab	Resin Treated	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Webbing, Textile Woven Nylon	NWFS-PIA-9019(R)	PIA-W-4088 & PIA-W-27265	1/XVII	1.0 / 25.4	2500/1135	Blue	Resin Treated	Nylon 6, 6

PIA-T-5038 & PIA-W-27265

Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9097(R)	PIA-T-5038 & PIA-W-27265	1 / III	3/4" / 19.05	400/182	Red	Resin Treated	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape, Textile and Webbing Textile Reinforcing, Nylon	NWFS-PIA-9101(R)	PIA-T-5038 & PIA-W-27265	1 / IV	5/8" / 15.88	625/284	Black	Resin Treated	Nylon 6, 6


 **Special Rate for order quantity above 100,000 meters**

PIA-T-87130


Shuttle Loom
Class - 1




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9034	PIA-T-87130	6 / I	1/2" / 12.7	3500/1589	Yellow	Dry Calendering	Para Aramid




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9035	PIA-T-87130	1 / II	9/16" / 14.29	500/227	Yellow	Dry Calendering	Para Aramid




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9037	PIA-T-87130	1 / IV	3/4" / 19.07	500/227	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9039	PIA-T-87130	5 / IV	3/4" / 19.07	4500/2043	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9040	PIA-T-87130	1 / VI	1" / 25.04	370/168	Yellow	Dry Calendering	Para Aramid




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9042	PIA-T-87130	3 / VI	1" / 25.04	370/168	Yellow	Dry Calendering	Para Aramid


 **Special Rate for order quantity above 100,000 meters**

PIA-T-87130


Shuttle Loom
Class - 1




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9044	PIA-T-87130	5 / VI	1" / 25.04	1500/681	Yellow	Dry Calendering	Para Aramid




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9045	PIA-T-87130	6 / VI	1" / 25.04	2500/1135	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9047	PIA-T-87130	6A / VI	1" / 25.04	2400/1090	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9048	PIA-T-87130	8 / VI	1" / 25.04	4000/1816	Yellow	Dry Calendering	Para Aramid




Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9063	PIA-T-87130	3 / X	1-3/4" / 44.45	2500/1135	Yellow	Dry Calendering	Para Aramid

 **Special Rate for order quantity above 100,000 meters**

PIA-T-87130


Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9064	PIA-T-87130	4 / X	1-3/4" / 44.45	3000/1362	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9066	PIA-T-87130	6 / X	1-3/4" / 44.45	4500/2043	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9067	PIA-T-87130	7 / X	1-3/4" / 44.45	6500/2951	Yellow	Dry Calendering	Para Aramid




 **Special Rate for order quantity above 100,000 meters**

PIA-T-87130

Shuttle Loom
Class - 1



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9076	PIA-T-87130	3 / XI	2" / 50.8	400/182	Yellow	Dry Calendering	Para Aramid



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Tape & Webbing, Textile, Para Aramid, Intermediate Modulus	NWFS-PIA-9080	PIA-T-87130	15 / XI	2" / 50.8	3000/1362	Yellow	Dry Calendering	Para Aramid

Assured Strength.
Absolute Trust



CORDS

- PIA-C-5040
- MIL-C-87129
- T-C-2754
- Nylon Cords
- Polyester / Dacron Cords
- UHMWPE / Dyneema Cords
- Shock Cord Elastic

*Mission-Ready
Strength.*



 **Special Rate for order quantity above 100,000 meters**

PIA-C-5040



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Nylon	BC-PIA-1102	PIA-C-5040	N/A / IA	N/A	100/45	Olive Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Nylon	BC-PIA-1103	PIA-C-5040	N/A / II	N/A	400/182	Olive Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Width (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord Fibrous Nylon	BC-PIA-1104	PIA-C-5040	N/A / N/A	N/A	225/102	Red	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Nylon	BC-PIA-1105	PIA-C-5040	N/A/III	N/A	550/250	Olive Green	Dry Calendering	Nylon 6, 6



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord Fibrous Nylon	BC-PIA-1106	PIA-C-5040	N/A / IV	N/A	750/341	Natural	Dry Calendering	Nylon 6,6

Lasting Strength.
Lasting Trust.



 **Special Rate for order quantity above 100,000 meters**

MIL-C-87129



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Para Aramid	BC-1143	MIL-C-87129	N/A / V	N/A	500/227	Yellow	Dry Calendering	Para-Aramid



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Para Aramid	BC-1144	MIL-C-87129	N/A / VI	N/A	750/341	Yellow	Dry Calendering	Para-Aramid




Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Para Aramid	BC-1145	MIL-C-87129	N/A / VII	N/A	1000/454	Yellow	Dry Calendering	Para-Aramid

T-C-2754



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Polyester	BC-1175	T-C-2754	N/A / I	N/A	600/272	Natural	Dry Calendering	Polyester



Tough gear for
Tough Jobs.

 **Special Rate for order quantity above 100,000 meters**

Nylon Cord



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Fibrous, Nylon	BC-1178	N/A	N/A / N/A	0.19" / 4.80	1000/454	Natural	Dry Calendering	Nylon 6,6

Polyester / Dacron Cord



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Flat Braided Cord, Polyester	BC-1179	N/A	N/A / N/A	0.14" / 3.47	400/182	Natural	Dry Calendering	Polyester



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Round Braided Cord, Polyester	BC-1180	N/A	N/A / N/A	0.26" / 6.69	600/272	Natural	Dry Calendering	Polyester



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Round Brake Line Cord, Polyester	BC-1181	N/A	N/A / N/A	0.34" / 8.87	800/363	Natural	Dry Calendering	Polyester



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Round Braided Cord, Polyester	BC-1182	N/A	N/A / N/A	0.40" / 10.20	900/409	Red	Dry Calendering	Polyester



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Braided Cord, Polyester	BC-1183	N/A	N/A / N/A	0.71" / 18.28	1575/715	Natural	Dry Calendering	Polyester

UHMWPE / Dyneema Cord



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Micro Line, Dyneema	BC-1185	N/A	N/A / N/A	0.07" / 1.98	725/329	Natural	Dry Calendering	Dyneema



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	BS (Lbs/Kgf)	Shade	Finish	Material
Cord, Micro Line, Dyneema	BC-1186	N/A	N/A / N/A	0.11" / 2.90	1000/454	Natural	Dry Calendering	Dyneema

 **Special Rate for order quantity above 100,000 meters**

Shock Cord Elastic



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	Elongation	Shade	Finish	Material
Cotton Elastic, Shock Cord Covered	BC-1188	N/A	N/A / N/A	1/8" / 3.17	215%	Natural	Dry Calendering	Cotton



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	Elongation	Shade	Finish	Material
Nylon Elastic, Shock Cord Covered	BC-1189	N/A	N/A / N/A	1/8" / 3.17	140%	Natural	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	Elongation	Shade	Finish	Material
Nylon Elastic, Shock Cord Covered	BC-1190	N/A	N/A / N/A	1/8" / 3.17	250%	Natural	Dry Calendering	Nylon 6,6




Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	Elongation	Shade	Finish	Material
Nylon Elastic, Shock Cord Covered	BC-1191	N/A	N/A / N/A	3/16" / 4.76	180%	Natural	Dry Calendering	Nylon 6,6



Item Name	Item Code	Specn No.	Class/Type	Dia (Inch/mm)	Elongation	Shade	Finish	Material
Nylon Elastic, Shock Cord Covered	BC-1192	N/A	N/A / N/A	1/4" / 6.35	140%	Natural	Dry Calendering	Nylon 6,6

Strength beyond limits
Certified Tough



VIRAJ SYNTEX (PVT.) LIMITED



VIRAJ SynTex
Narrow Fabrics | Braids | Ropes

Who We Are

VIRAJ SYNTEX (P) LTD. (Viraj Group) established in 1994 has managed to carve a niche for itself in terms of customer satisfaction and state of the art technology.

Viraj Group specializes in the field of Narrow Woven Fabrics & Braided Cords/Ropes, Fall Protection Equipments, Material handling & Load Restraint Systems In India, we are one of the leading suppliers of Narrow Woven Fabrics used in Parachutes and other safety equipments used by the Indian Defence Organizations.

Our Manufacturing set-up is spread over 1,50,000 sq. ft and is equipped with finest and latest weaving, braiding, twisting machines along with continuous dyeing and testing equipments. We are one of the few companies having a complete Vertical Integrated manufacturing process along with complete In house testing of all input raw material till complete finished products which gives us a strong control over quality at every step.

All our systems & process are registered to ISO 9001:2015. & ANSI and CE certifications reaffirm our commitment towards values of quality, innovation & fair Business Practices for complete customer satisfaction.

Viraj Group has expanded its marketing horizons in Europe, UK, GCC, Asia Pacific, Africa, Australia & USA.

Our Registrations & Accreditation



Aerial Delivery Research & Development Establishment (ADRDE)



Indian Space Research Organisation (ISRO)



Ordnance Parachute Factory (OPF)



Ordnance Equipment Factory (OEF)



Directorate General of Quality Assurance (DGQA)



Bureau of Indian Standards (BIS)



Defence Material & Stores Research & Development Establishment (DMSRDE)



The National Small Industries Corporation Limited (NSIC)